

इंटरनेट

मानक

### Disclosure to Promote the Right To Information

Whereas the Parliament of India has set out to provide a practical regime of right to information for citizens to secure access to information under the control of public authorities, in order to promote transparency and accountability in the working of every public authority, and whereas the attached publication of the Bureau of Indian Standards is of particular interest to the public, particularly disadvantaged communities and those engaged in the pursuit of education and knowledge, the attached public safety standard is made available to promote the timely dissemination of this information in an accurate manner to the public.

“जानने का अधिकार, जीने का अधिकार”

Mazdoor Kisan Shakti Sangathan

“The Right to Information, The Right to Live”

“पुराने को छोड़ नये के तरफ”

Jawaharlal Nehru

“Step Out From the Old to the New”

IS 7564-2 (1974): Recommendations for co-ordination of dimensions in buildings-Arrangement of building components and assemblies, Part 2: Functional group 2 External envelope [CED 51: Planning, Housing and pre-fabricated construction]



“ज्ञान से एक नये भारत का निर्माण”

Satyanarayan Gangaram Pitroda

“Invent a New India Using Knowledge”



“ज्ञान एक ऐसा खजाना है जो कभी चुराया नहीं जा सकता है”

Bhartḥari—Nitiśatakam

“Knowledge is such a treasure which cannot be stolen”



BLANK PAGE



*Indian Standard*

RECOMMENDATIONS FOR  
CO-ORDINATION OF DIMENSIONS IN  
BUILDINGS -- ARRANGEMENT OF BUILDING  
COMPONENTS AND ASSEMBLIES

**PART II FUNCTIONAL GROUP 2 -- EXTERNAL ENVELOPE**

( Second Reprint JUNE 1989 )

UDC 721.013:389.63:69.022.3

© *Copyright* 1975

BUREAU OF INDIAN STANDARDS  
MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG  
NEW DELHI 110002

# Indian Standard

## RECOMMENDATIONS FOR CO-ORDINATION OF DIMENSIONS IN BUILDINGS — ARRANGEMENT OF BUILDING COMPONENTS AND ASSEMBLIES

### PART II FUNCTIONAL GROUP 2 — EXTERNAL ENVELOPE

Modular Co-ordination Sectional Committee, BDC 10

*Chairman*

SHRI J. DURAI RAJ

*Representing*

Hindustan Steel Works Construction Ltd, Calcutta

*Members*

SHRI J. M. BENJAMIN

Central Public Works Department (Architectural Wing), New Delhi

SHRI S. C. KAPOOR (*Alternate*)

SHRI B. B. GARG

Central Building Research Institute (CSIR), Roorkee

SHRI B. K. TYAGI (*Alternate*)

SHRI A. P. KANVINDE

Indian Institute of Architects, Bombay  
Maharashtra Housing Board, Bombay

SHRI M. K. LAKHANI

SHRI B. NARAYAN RAO (*Alternate*)

SHRI G. C. MATHUR

National Buildings Organization, New Delhi

SHRI M. M. MISTRY (*Alternate*)

SHRI T. R. MEHANDRU

Institution of Engineers (India), Calcutta  
Concrete Association of India, Bombay  
Gujarat Housing Board, Ahmedabad

SHRI M. A. MEHTA

SHRI S. G. MEHTA

SHRI H. B. BHATTI (*Alternate*)

SHRI K. K. NAMBIAR

Cement Service Bureau, Madras

SHRI S. SIVASWAMY (*Alternate*)

PROF S. K. NARAYANA

School of Town Planning & Architecture, New Delhi

SHRI P. B. RAI

Town & Country Planning Organization (Ministry of Works & Housing), New Delhi

SHRI V. NAGARAJA (*Alternate*)

REPRESENTATIVE

SHRI K. G. SALVI

Delhi Development Authority, New Delhi  
Hindustan Housing Factory Ltd, New Delhi

SHRI S. K. CHATTERJEE (*Alternate*)

SHRI T. K. SARAN

Bureau of Public Enterprises (Ministry of Finance), New Delhi

(Continued on page 2)

© Copyright 1975

**BUREAU OF INDIAN STANDARDS**

This publication is protected under the *Indian Copyright Act* (XIV of 1957) and reproduction in whole or in part by any means except with written permission of the publisher shall be deemed to be an infringement of copyright under the said Act.

# IS : 7564 (Part II) - 1974

(Continued from page 1)

## Members

SHRI M. V. SATHE

SHRI S. BALAKRISHNAN (*Alternate*)

SHRI L. G. TOYE

SHRI N. V. SHASTRI (*Alternate*)

SHRI S. N. WIG

SHRI SADHU RAM GUPTA (*Alternate*)

SHRI D. AJITHA SIMHA,

Director (Civ Engg)

## Representing

Engineer-in-Chief's Branch, Army Headquarters,  
New Delhi

Ministry of Railways, New Delhi

Builder's Association of India, Bombay

Director General, ISI (*Ex-officio Member*)

## Secretary

SHRI S. P. MAGGU

Assistant Director (Civ Engg), ISI

*Indian Standard*

RECOMMENDATIONS FOR  
CO-ORDINATION OF DIMENSIONS IN  
BUILDINGS — ARRANGEMENT OF BUILDING  
COMPONENTS AND ASSEMBLIES

## PART II FUNCTIONAL GROUP 2 — EXTERNAL ENVELOPE

## 0. FOREWORD

**0.1** This Indian Standard (Part II) was adopted by the Indian Standards Institution on 4 November 1974, after the draft finalized by the Modular Co-ordination Sectional Committee had been approved by the Civil Engineering Division Council.

**0.2** Since the basic decision to adopt a 10-cm module has been taken, the work connected with application of this module for different building components, such as bricks, walling materials, roofing materials, etc, has been done by different committees and dimensions have been recommended by these committees for such components.

**0.2.1** However, it has been felt that some thought had to be given to the need for dimensionally co-ordinating a particular product, specially with respect to the three dimensions — length, width and height/thickness. It was felt that in some cases such co-ordination of dimensions may or may not be necessary, while in other cases it is absolutely imperative. To identify such parameters for individual components, it was felt that building as a whole should be examined from the point of view of various components that go into it and then decide on the need for dimensional co-ordination on an individual basis.

**0.2.2** After such a decision had been arrived at, it will then be possible for the relevant committees to adopt this principle in finally arriving at the nominal and work sizes for the individual components. With this end in view the building has been divided broadly into the following five functional groups:

- a) Functional group 1 — Structure;
- b) Functional group 2 — External envelope;
- c) Functional group 3 — Internal subdivision;
- d) Functional group 4 — Services and drainage; and
- e) Functional group 5 — Fixtures, furniture and equipment.

**0.3** It was indeed very useful for the Modular Co-ordination Sectional Committee to have the views of various architects, engineers and users in

arriving at a basic decision regarding the need for dimensionally co-ordinating some of these products so that the relevant committees could exercise their mind on such items only. Based on these decisions, it may be possible to review the existing Indian Standards on different subjects where dimensions have already been given and arrive at new dimensions, where necessary.

**0.3.1** It may be noted that the words 'co-ordination of dimensions' instead of 'modular co-ordination' have been used in the title of the standard with a view to encouraging the concept of establishing the correlation of two or more products when juxtaposed together to perform a function. If such a function is not necessary or there is no function to be done, then it appears there may not be a need for co-ordinating dimension in the products placed together.

**0.4** In the formulation of this standard due weightage has been given to international co-ordination among the standards and practices prevailing in different countries in addition to relating it to the practices in the field in this country. This has been met by deriving assistance from the following:

BSPD 6432 : Part 1-1969 Recommendations for the co-ordination of dimensions in building — arrangement of building components and assemblies within functional groups; Part 1 Functional group 1, 2, 3 and 4. British Standards Institution.

BSPD 6432 : Part 2-1969 Recommendations for the co-ordination of dimensions in building — arrangement of building components and assemblies within functional groups; Part 2 Functional group 5. British Standards Institution.

**0.5** This standard is one of a series of Indian Standards on modular co-ordination. Other standards published so far in the series are given on page 10.

---

## **1. SCOPE**

**1.1** This standard (Part II) lays down recommendations for co-ordinating dimensions of building components and assemblies for functional group 2 — External envelope which comprises of the following elements of construction:

Walls, wall openings, roofs and roof openings.

## **2. TERMINOLOGY**

**2.0** For the purpose of this standard, the following definitions shall apply.

**2.1 Element of Construction** -- A functional part of a building constructed from building materials and/or building components.

**2.2 Services** — The group of installations each of which supplies one or more services to a building.

**2.3 Assembly** — An aggregate of building components used together.

**2.4 Building Component** — A building product formed as a distinct unit having specified sizes in three dimensions.

**2.5 Building Section** — Building material formed to a definite cross section but of unspecified length. Sections are usually manufactured by a continuous process, such as rolling, drawing, extruding or machining. Examples are angles, bars, tubes, battens, sheet, plate, wire and cable.

**2.6 Co-ordinating Plane** — A plane by reference to which a building component or assembly is co-ordinated with another.

**2.7 Co-ordinating Space** — A space bounded by co-ordinating planes allocated to a component, including allowances for tolerances and joint clearances.

**2.8 Co-ordinating Dimensions** — A dimension of co-ordinating space, which defines the relative positions of two or more components in an assembly, according to the characteristics of the components which are relevant to assembly.

**2.9 Basic Size** — The size by reference to which the limits of size are fixed.

### **3. GRADING OF COMPONENTS AND ASSEMBLIES**

**3.1** Depending upon the relative importance, the components or assemblies shall be given a grading, A, B, or C as follows:

Grading A — Components or assemblies for which dimensional co-ordination is essential.

Grading B — Components or assemblies which in some situations need to be dimensionally co-ordinated.

Grading C — Components or assemblies which do not require to be dimensionally co-ordinated.

### **4. CO-ORDINATING DIMENSIONS OF BUILDING COMPONENTS AND ASSEMBLIES**

**4.1** The recommended co-ordinating dimensions of building components and assemblies for functional group 2 — external envelope shall be as given in Table 1.

**TABLE 1 RECOMMENDED CO-ORDINATING DIMENSIONS OF BUILDING COMPONENTS AND ASSEMBLIES FOR FUNCTIONAL GROUP 2 — EXTERNAL ENVELOPE**

(Clause 4.1)

Sl. No.	ELEMENT OF CONSTRUCTION	ASSEMBLY	COMPONENT	GRADING	CO-ORDINATING DIMENSIONS					CROSS REFERENCE TO OTHER FUNCTIONAL GROUPS
					Length	Width	Height	Depth	Thickness	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
i)	Walls	Brickwork Blockwork		A	✓	—	✓	—	✓	
				A	✓	—	✓	—	✓	
			Bricks	B	✓	✓	✓	—	—	
			Blocks	B	✓	✓	✓	—	—	1, 3
			Damp proof courses	A	—	✓	—	—	✓	1, 3
			Lintels	A	✓	✓	—	✓	—	
			RCC bands	A	—	✓	—	—	✓	1
			Cramps	C	—	—	—	—	—	1
			Refractory bricks	B	✓	✓	✓	—	—	3, 4
			Grilles: ventilating	A	✓	—	✓	—	—	4
			Handrails: balcony	C	—	—	—	—	—	
			Louvres	A	✓	—	✓	—	—	4
			Facing materials	A	—	✓	✓	—	—	3
		Curtain walling		A	—	✓	✓	—	✓	
			Sections: mullion	B	✓	✓	—	—	✓	
			Sections: transom and sill	B	✓	✓	—	—	✓	
			Panels: infill and under sill	A	—	✓	✓	—	✓	
			Glazing units: glass and edge sealed	A	—	✓	✓	—	✓	
			Windows	A	—	✓	✓	—	✓	
			Grilles: ventilating	A	✓	—	✓	—	—	4
			Louvres	A	✓	—	✓	—	—	4
			Door leaves	A	—	✓	✓	—	✓	

Panels	A	—	✓	✓	—	✓	
Bricks	B	✓	✓	✓	—	—	1, 3
Blocks	B	✓	✓	✓	—	—	1, 3
Sections: framing	B	✓	✓	—	✓	—	
Facing materials	A	—	✓	✓	—	—	3
Sheets: rigid (flat)	A	—	✓	✓	—	—	
Sheets: corrugated and troughed	A	—	✓	✓	✓*	—	3
Grilles: ventilating	A	✓	—	✓	—	—	4
Louvres	A	✓	—	✓	—	—	4

ii) Wall openings

Doorsets (including side hung single leaf, side hung double leaf, horizontal sliding—single and multi-leaf, horizontal folding, horizontal sliding/folding, horizontal collapsible gates, vertical sliding gates; tip and over, single and multi-leaf, revolving, hatches, collapsible grilles, roller blinds and shutters)

	A	—	✓	✓	—	✓	
Frames	A	—	✓	✓	—	✓	
Door leaves	A	—	✓	✓	—	✓	
Architraves	C	—	—	—	—	—	
Sills	A	✓	✓	—	—	✓	
Ventilators	A	—	✓	✓	—	✓	
Grilles: collapsible	A	—	✓	✓	—	—	
Hardware	C	—	—	—	—	—	3
Roller blinds and shutters	A	—	✓	✓	—	—	
Doors-frameless	A	—	✓	✓	—	—	

\* Depth of corrugations.

(Continued)

**TABLE 1 RECOMMENDED CO-ORDINATING DIMENSIONS OF BUILDING COMPONENTS AND ASSEMBLIES FOR FUNCTIONAL GROUP 2 — EXTERNAL ENVELOPE — Contd**

Sl. No.	ELEMENT OF CONSTRUCTION	ASSEMBLY	COMPONENT	GRAD-ING	CO-ORDINATING DIMENSIONS					CROSS REFERENCE TO OTHER FUNCTIONAL GROUPS
					Length	Width	Height	Depth	Thick-ness	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
ii)	Wall openings —Contd	Windows (sliding, horizontal and vertical pivoting, hung, fixed)		A	—	✓	✓	—	✓	
			Frames	A	—	✓	✓	—	✓	
			Glazing units: glass and edge sealed	A	—	✓	✓	—	—	
			Sills	A	✓	✓	—	—	✓	
			Ventilators	A	—	✓	✓	—	✓	
			Blinds: roller and venetain	A	✓	✓	—	—	—	
			Hardware	C	—	—	—	—	—	
iii)	Roof	Pitched and flat-finishes and patent glazing (see functional group 1 for structural components and functional group 4 for drainage components)								
			Sheet: corrugated/troughed	A	✓	✓	—	✓*	—	

Sheet: insulating	A	✓	✓	—	—	—	3
Glazing units: glass and edge sealed	A	✓	✓	—	—	—	3
Sections: framing	B	✓	✓	—	✓	—	
Flashings	C	—	—	—	—	—	
Fixing accessories	C	—	—	—	—	—	

iv) Roof openings

Roof lighting, ventilation and access (including skylights, roof and pavement lights)	A	✓	✓	✓	—	—	
Sections: framing	B	✓	✓	✓	—	—	
Glazing bars and beads	C	—	—	—	—	—	
Glazing units: glass and edge sealed	A	✓	✓	—	—	✓	
Grilles: ventilating	A	✓	—	✓	—	—	4
Hardware	C	—	—	—	—	—	4
Louvres	A	✓	—	✓	—	✓	4
Linings: preformed	A	✓	✓	—	—	—	
Kerbs: preformed	A	✓	✓	✓	—	—	
Ventilators	A	—	✓	✓	—	✓	
Flashings	C	—	—	—	—	—	

\*Depth of corrugations.

# **INDIAN STANDARDS**

**ON**

## **MODULAR CO-ORDINATION**

**IS:**

- 1233-1969 Recommendations for modular co-ordination of dimensions in the building industry (*first revision*)
- 2718-1964 Recommendation for preferred dimensions for storey heights
- 4993-1973 Glossary of terms relating to modular co-ordination (*first revision*)
- 6408-1971 Recommendations for modular co-ordination — application of tolerances in building industry
- 6772-1972 Recommendations for dimensional co-ordination for industrialized buildings — preferred increments
- 6820-1972 Recommendations for modular co-ordination — rules for modular planning
- 7184-1973 Recommendations for modular co-ordination reference lines of horizontal controlling co-ordinating dimensions

# BUREAU OF INDIAN STANDARDS

## Headquarters:

Manak Bhavan, 9 Bahadur Shah Zafar Marg, NEW DELHI 110002

Telephones: 331 01 31, 331 13 75

Telegrams: Manaksanstha  
( Common to all Offices )

## Regional Offices:

	Telephone
Central : Manak Bhavan, 9 Bahadur Shah Zafar Marg, NEW DELHI 110002	{ 331 01 31 331 13 75
*Eastern : 1/14 C. I. T. Scheme VII M, V. I. P. Road, Maniktola, CALCUTTA 700054	36 24 99
Northern : SCO 445-446, Sector 35-C, CHANDIGARH 160036	{ 2 18 43 3 16 41
Southern : C. I. T. Campus, MADRAS 600113	{ 41 24 42 41 25 19 41 29 16
†Western : Manakalaya, E9 MIDC, Marol, Andheri ( East ), BOMBAY 400093	6 32 92 95

## Branch Offices:

'Pushpak', Nurmohamed Shaikh Marg, Khanpur, AHMADABAD 380001	{ 2 63 48 2 63 49
‡Peenya Industrial Area 1st Stage, Bangalore Tumkur Road BANGALORE 560058	{ 38 49 55 38 49 56
Gangotri Complex, 5th Floor, Bhadbhada Road, T. T. Nagar, BHOPAL 462003	6 67 16
Plot No. 82/83, Lewis Road, BHUBANESHWAR 751002	5 36 27
53/5, Ward No. 29, R.G. Barua Road, 5th Byelane, GUWAHATI 781003	3 31 77
5-8-56C L. N. Gupta Marg ( Nampally Station Road ), HYDERABAD 500001	23 10 83
R14 Yudhister Marg, C Scheme, JAIPUR 302005	{ 6 34 71 6 98 32
117/418 B Sarvodaya Nagar, KANPUR 208005	{ 21 68 76 21 82 92
Patliputra Industrial Estate, PATNA 800013	6 23 05
T.C. No. 14/1421, University P.O., Palayam TRIVANDRUM 695035	{ 6 21 04 6 21 17

## Inspection Offices ( With Sale Point ):

Pushpanjali, First Floor, 205-A West High Court Road, Shankar Nagar Square, NAGPUR 440010	2 51 71
Institution of Engineers ( India ) Building, 1332 Shivaji Nagar, PUNE 411005	5 24 35

\*Sales Office in Calcutta is at 5 Chowringhee Approach, P. O. Princep Street, Calcutta 700072

†Sales Office in Bombay is at Novelty Chambers, Grant Road, Bombay 400007

‡Sales Office in Bangalore is at Unity Building, Narasimharaja Square, Bangalore 560002